

**AMENDMENTS TO THE CLAIMS**

Please **AMEND** claims 1-4 as shown below.

Please **ADD** claims 5-16 as shown below.

The following is a complete list of all claims in this application.

1. (Currently Amended) A liquid crystal display module comprising:  
a lamp having an upper portion, a side portion and a lower portion;  
a lamp cover covering the upper portion and the side portion of the lamp and exposing the lower portion which is bent once so as to define an upper plate and a side plate thereof, and which covers an upper portion and side portion of said lamp with a lower portion of said lamp being opened, said lamp cover being arranged to reflect a light produced from said lamp;  
a light guide plate having an upper surface, a lower surface and a side surface adjoining the lamp thereof corresponding to said upper and side plates of said lamp cover, respectively, said light guide plate being arranged to a side of said lamp cover, said light guide plate receiving a light produced from said lamp through said side surface thereof and transmitting said light toward said upper surface thereof; and  
a rear reflector plate arranged at a below the lower surface of said the light guide plate and which is extended toward to cover said the lower portion of said the lamp, said rear reflector plate directing toward said upper surface of said light guide plate a light being leaked through said lower surface of said light guide plate.
2. (Currently Amended) A liquid crystal display module comprising:

a lamp having an upper portion, a side portion and a lower portion;

a lamp cover comprises:

an upper panel covering the upper portion of the lamp;

a side panel covering the side portion of the lamp; and

a lower panel spaced apart from the lower portion of the lamp to expose the lower portion of the lamp;

~~which is bent twice so as to define an upper plate, a side plate, and a lower plate thereof, and which covers an upper portion and side portion of said lamp, said lamp cover being arranged to reflect a light produced from said lamp;~~

~~a light guide plate having an upper surface, a side surface adjoining the lamp and a lower surface thereof corresponding to said upper plate, side plate and lower plate of said lamp cover, respectively, said light guide plate being arranged to a side of said lamp cover, said light guide plate receiving a light produced from said lamp through said side surface thereof and transmitting said light toward said upper surface thereof; and~~

~~a rear reflector plate arranged at a below the lower surface of said the light guide plate and extended to cover the lower portion of the lamp and which directs toward said upper surface of said light guide plate a light being leaked through said lower surface of said light guide plate,~~

~~wherein said lower plate of said lamp cover is prevented from coming into contact with said lower surface of said light guide plate so as to allow said lower portion of said lamp to be opened, and said reflector plate is extended to said lower portion of said lamp so as to cover said lower portion of said lamp which is opened.~~

3. (Currently Added) A liquid crystal display module comprising:

a lamp having an upper portion, a side portion and a lower portion;

a lamp cover covering the upper portion and the side portion of the lamp ~~which is bent so as to define an upper plate and a side plate thereof, and which covers an upper portion and side portion of said lamp with a lower portion of said lamp being opened, said lamp cover being arranged to reflect a light produced from said lamp;~~

a light guide plate having an upper surface, a lower surface and a side surface adjoining the lamp ~~thereof corresponding to said upper and side plates of said lamp cover, respectively, said light guide plate being arranged to a side of said lamp cover, said light guide plate receiving a light produced from said lamp through said side surface thereof and transmitting said light toward said upper surface thereof;~~

a liquid crystal display panel ~~constituted by an upper panel and a lower panel having a liquid crystal interposed therebetween, said liquid crystal display panel being arranged at said~~ over the upper surface of the said light guide plate;

a rear reflector plate arranged at a below the lower surface of ~~said the~~ light guide plate and having a portion ~~which is extended to cover toward said the~~ lower portion of ~~said the~~ lamp, ~~said rear reflector plate directing toward said upper surface of said light guide plate a light being leaked through said lower surface of said light guide plate;~~

a square mold frame for accommodating ~~an assembly of said the~~ lamp, the lamp cover, the light guide plate, the rear reflector plate and ~~said the~~ liquid crystal display panel, and exposing the lower portion of the lamp ~~which has an open bottom surface so that said rear reflector plate is exposed to outside;~~

a back cover attached to the mold frame to support the extended portion of the rear reflector plate ~~arranged at a bottom surface of said lamp with said rear reflector plate interposed~~

~~between said back cover and said bottom surface of the said lamp, said back cover being coupled at said bottom surface of said mold frame, said back cover supporting said lamp; and~~

~~a square top chassis coupled to said the mold frame in such a manner that said top chassis face said mold frame, said top chassis accommodating edges of said mold frame;~~

~~wherein said back cover has a light guide plate support member which supports said light guide plate disposed onto said rear reflector plate by pressing said rear reflector plate exposed through said opened bottom surface of said mold frame.~~

4. (Currently Amended) A The liquid crystal display module ~~according to claim 3 of claim 5~~, wherein said the support member is ~~made~~ formed of a non-rigid material.

5. (Currently Added) The liquid crystal display module of claim 3, wherein the back cover comprises a support member pressing the extended portion of the rear reflector plate.

6. (Currently Added) A display device comprising:  
a lamp having an upper portion, a lower portion, a first side portion and a second side portion opposite to the first side portion;  
a light guiding plate adjoining the first side portion of the lamp and having a top surface and a bottom surface;  
a lamp cover covering the upper portion and the second side portion of the lamp;  
a reflector plate formed below the bottom surface of the light guiding plate and having a portion extended to cover the lower portion of the lamp; and

a supporting member pressing the extended portion of the reflector plate toward the lamp unit.

7. (Currently Added) The display device of claim 6, further comprising a mold frame accommodating the reflector plate, the light guiding plate, the lamp and the lamp cover.

8. (Currently Added) The display device of claim 7, wherein the mold frame has an opening to expose the extended portion of the reflector plate.

9. (Currently Added) The display device of claim 8, further comprising a back cover for covering the opening of the mold frame, wherein the supporting member is formed on the back cover.

10. (Currently Added) The display device of claim 6, wherein the lamp cover comprises a top plate covering the upper portion of the lamp and a side plate covering the second side of the lamp.

11. (Currently Added) The display device of claim 10, wherein the lamp cover further comprises a bottom plate extended from the side plate and spaced apart from the lamp to expose the lower portion of the lamp.

12. (Currently Added) The display device of claim 11, wherein the bottom plate of the lamp cover contacts the extended portion of reflector plate.

13. (Currently Added) The display device of claim 12, wherein the supporting member is spaced apart from the bottom plate of the lamp cover.
14. (Currently Added) The display device of claim 6, further comprising a display panel formed on the top surface of the light guiding plate.
15. (Currently Added) The display device of claim 14, wherein the display panel is a liquid crystal display panel.
16. (Currently Added) The display device of claim 14, further comprises a chassis coupled to the mold frame to fix the liquid crystal display panel, the lamp, the lamp cover and the light guiding plate and the reflector plate therebetween.